

# WATER QUALITY REPORT

STILL | MACKAY, IDAHO



## INTRODUCTION

Proud Source Water brings you the finest spring water bottled in the most sustainable way. Both our spring source locations meet all federal and state health standards. Bottled water is regulated by the FDA and is classified as a food product. We take pride in our spring water, therefore, our top priority is to always ensure consumer safety by following strict quality and testing standards developed by the FDA for bottled water.

## OUR SOURCES

Our Proud Source naturally alkaline spring water is bottled at two source locations, one at the base of the Rocky Mountains in Mackay, Idaho and the other in the Apalachicola Forest in Marianna, Florida. These two spring locations enable Proud Source to continue to offer the most sustainable natural spring water by reducing our overall carbon footprint to service customers across the United States.

## OUR BOTTLING & FILTRATION PROCESS

Proud Source conserves our spring sources by pledging to source less than 5% of the springs daily output. Microfiltration is the first step in our bottling process, as our water enters our NSF certified facility. As the natural spring water passes through the microfiltration stage, we then activate UV filtration. Finally, ozonation is the critical and final step in oxidizing the water to remove any microorganisms and compounds from the water, guaranteeing a fresh, clean, and great tasting spring water.

## OUR COMPANY'S WATER QUALITY TESTING

Proud Source Water quality testing is conducted by NSF International, a third party testing company. The NSF mark assures consumers, retailers and regulators that certified products have been rigorously tested to comply with all standard requirements. No contaminants were detected above the FDA's limits in our testing, as demonstrated by Table 2 below. There have been no violations of the FDA Standard of Quality.

## BOTTLED & DISTRIBUTED BY:

Proud Source Water Inc  
426 S. 10th St  
Boise, ID 83702

For questions or more information regarding this quality report contact 1-855-H2-PR-O-UD

**TABLE 1: PROUD SOURCE WATER**

### MINERAL ANALYSIS

STILL | MACKAY, ID

NATURALLY OCCURRING MINERALS	MG/L
Calcium	45
Magnesium	15
Bicarbonates	145.4
Chlorides	5
TDS	220
pH	7.82

Result	Pass
Customer Name	Proud Source Water LLC
Tested To	USFDA CFR Title 21 Part 165.110
Description	Spring Water
Test Type	Annual Collection
Job Number	A-00427802
Project Number	30034470
Final Report Date	18-NOV-2022

This test was performed by NSF.  
789 N. Dixboro Rd. Ann Arbor, MI 48105, USA  
1-800.NSF.MARK | +1-734.769.8010 | www.nsf.org

# WATER QUALITY REPORT

STILL | MACKAY, IDAHO



**TABLE 2: PROUD SOURCE WATER PRODUCT ANALYSIS**

STILL | MACKAY, ID

TESTING PARAMETER	RESULT	FDA SOQ	UNITS	P/F
<b>PHYSICAL QUALITY</b>				
Alkalinity as CaCO <sub>3</sub>	150	No FDA Standard	mg CaCO <sub>3</sub> /L	
Specific Conductance	360	No FDA Standard	umhos/cm	
Hardness, Total	170	No FDA Standard	mg CaCO <sub>3</sub> /L	
Solids Total Dissolved	220	500	mg/L	Pass
Turbidity	0.1	5	NTU	Pass
pH	7.82	No FDA Standard		
Bicarbonate	145.4	No FDA Standard	mg CaCO <sub>3</sub> /L	
<b>MICROBIOLOGICAL QUALITY</b>				
Coliform in Water/100 mL	Absent	Absent		Pass
E. Coli in Water/100 mL	Absent	Absent		Pass
<b>DISINFECTION RESIDUALS/BY-PRODUCTS</b>				
Bromate	Not Detected	10	ug/L	Pass
Monochloramine	Not Detected	No FDA Standard	mg/L	
Dichloramine	Not Detected	No FDA Standard	mg/L	
Nitrogen trichloride	Not Detected	No FDA Standard	mg/L	
Chloramine, Total	Not Detected	4	mg/L	Pass
Chlorite	Not Detected	1000	ug/L	Pass
Chlorine Dioxide	Not Detected	0.8	mg/L	Pass
Monochloroacetic Acid	Not Detected	No FDA Standard	ug/L	
Dichloroacetic Acid	Not Detected	No FDA Standard	ug/L	
Bromochloroacetic Acid	Not Detected	No FDA Standard	ug/L	
Trichloroacetic Acid	Not Detected	No FDA Standard	ug/L	
Dibromoacetic Acid	Not Detected	No FDA Standard	ug/L	
Total Haloacetic Acid	Not Detected	60	ug/L	Pass
Chlorine, Total Residual	Not Detected	4	mg/L	Pass
<b>RADIOLOGICALS</b>				
Uranium	0.002	0.03	mg/L	Pass
P1 Gross Alpha	Not Detected	15	pCi/L	Pass
P1 Gross Beta	Not Detected	50	pCi/L	Pass
Alpha Variance +/-	2	No FDA Standard	pCi/L	
Beta Variance +/-	1	No FDA Standard	pCi/L	
Radium-226	Not Detected	No FDA Standard	pCi/L	
Radium-228	Not Detected	No FDA Standard	pCi/L	

**KEY**

RESULT = Our Testing Result

FDA SOQ = FDA Standard of Quality

UNITS = Unit of Measurement

P/F = Pass or Fail

# WATER QUALITY REPORT

STILL | MACKAY, IDAHO



**TABLE 2: PROUD SOURCE WATER PRODUCT ANALYSIS (CONT.)**

STILL | MACKAY, ID

TESTING PARAMETER	RESULT	FDA SOQ	UNITS	P/F
<b>RADIOLOGICALS</b>				
Radium-226, Radium-228 Combined	Not Detected	5	pCi/L	Pass
Radium 226 Variance +/-	0.3	No FDA Standard	pCi/L	
Radium 228 Variance +/-	0.3	No FDA Standard	pCi/L	
<b>INORGANIC CHEMICALS</b>				
Aluminum	Not Detected	0.2	mg/L	Pass
Antimony	Not Detected	0.006	mg/L	Pass
Arsenic	0.001	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 100.2) - Bureau Veritas				
Chrysotile Fibers	Not Detected	No FDA Standard	MFL	
Amphibole Fibers	Not Detected	No FDA Standard	MFL	
Single Fiber Detection Limit	Not Detected	No FDA Standard	MFL	
Barium	0.080	2	mg/L	Pass
Beryllium	Not Detected	0.004	mg/L	Pass
Bromide	14	No FDA Standard	ug/L	
Cadmium	Not Detected	0.005	mg/L	Pass
Calcium	45	No FDA Standard	mg/L	
Chloride	5	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	0.1	mg/L	Pass
Copper	Not Detected	1	mg/L	Pass
Cyanide, Total	Not Detected	0.2	mg/L	Pass
Fluoride	0.2	2.4	mg/L	Pass
Iron	Not Detected	0.3	mg/L	Pass
Lead	Not Detected	0.005	mg/L	Pass
Magnesium	15	No FDA Standard	mg/L	
Manganese	Not Detected	0.05	mg/L	Pass
Mercury	Not Detected	0.002	mg/L	Pass
Nickel	0.001	0.1	mg/L	Pass
Nitrogen, Nitrate	.39	10	mg/L	Pass
Nitrogen, Nitrite	Not Detected	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	.39	10	mg/L N	Pass
Potassium	.09	No FDA Standard	mg/L	
Selenium	.002	0.05	mg/L	Pass

**KEY**

RESULT = Our Testing Result

FDA SOQ = FDA Standard of Quality

UNITS = Unit of Measurement

P/F = Pass or Fail

# WATER QUALITY REPORT

STILL | MACKAY, IDAHO



**TABLE 2: PROUD SOURCE WATER PRODUCT ANALYSIS (CONT.)**

STILL | MACKAY, ID

TESTING PARAMETER	RESULT	FDA SOQ	UNITS	P/F
<b>INORGANIC CHEMICALS</b>				
Silver	Not Detected	0.1	mg/L	Pass
Sodium	5.2	No FDA Standard	mg/L	
Sulfate as SO4	32	250	mg/L	Pass
MBAS, calc. as LAS Mol.Wt. 320	Not Detected	No FDA Standard	mg/L	
Thallium	Not Detected	0.002	mg/L	Pass
Phenolics	Not Detected	0.001	mg/L	Pass
Zinc	Not Detected	5	mg/L	Pass
<b>ORGANIC CHEMICALS</b>				
Diquat (Ref: EPA 549.2)				
Diquat	Not Detected	20	ug/L	Pass
Endothall (Ref: EPA 548.1) - (ug/L)				
Endothall	Not Detected	100	ug/L	Pass
Glyphosate (Ref: EPA 547)				
Glyphosate	Not Detected	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)				
Perchlorate	Not Detected	No FDA Standard	ug/L	Pass
2,3,7,8-TCDD (Ref: EPA 1613B)				
2,3,7,8-Tetrachlorodibenzo-p-dioxin	Not Detected	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)				
Aldicarb sulfoxide	Not Detected	No FDA Standard	ug/L	
Aldicarb sulfone	Not Detected	No FDA Standard	ug/L	
Oxamyl	Not Detected	200	ug/L	Pass
Aldicarb	Not Detected	No FDA Standard	ug/L	
Carbofuran	Not Detected	40	ug/L	Pass
Methomyl	Not Detected	No FDA Standard	ug/L	
Carbaryl	Not Detected	No FDA Standard	ug/L	
3-Hydroxycarbofuran	Not Detected	No FDA Standard	ug/L	
Semivolatile Organic Compounds (Ref: EPA 525.2)				
Hexachlorocyclopentadiene	Not Detected	50	ug/L	Pass
EPTC	Not Detected	No FDA Standard	ug/L	
Dimethylphthalate	Not Detected	No FDA Standard	ug/L	
2,6-Dinitrotoluene	Not Detected	No FDA Standard	ug/L	
2,4 Dinitrotoluene	Not Detected	No FDA Standard	ug/L	

**KEY**

RESULT = Our Testing Result

FDA SOQ = FDA Standard of Quality

UNITS = Unit of Measurement

P/F = Pass or Fail

# WATER QUALITY REPORT

STILL | MACKAY, IDAHO



**TABLE 2: PROUD SOURCE WATER PRODUCT ANALYSIS (CONT.)**

STILL | MACKAY, ID

TESTING PARAMETER	RESULT	FDA SOQ	UNITS	P/F
<b>ORGANIC CHEMICALS</b>				
Molinate	Not Detected	No FDA Standard	ug/L	
Diethylphthalate	Not Detected	No FDA Standard	ug/L	
Propachlor	Not Detected	No FDA Standard	ug/L	
Hexachlorobenzene	Not Detected	1	ug/L	Pass
Simazine	Not Detected	4	ug/L	Pass
Atrazine	Not Detected	3	ug/L	Pass
Lindane	Not Detected	0.2	ug/L	Pass
Terbacil	Not Detected	No FDA Standard	ug/L	
Metribuzin	Not Detected	No FDA Standard	ug/L	
Alachlor	Not Detected	2	ug/L	Pass
Heptachlor	Not Detected	0.4	ug/L	Pass
Di-n-butylphthalate	Not Detected	No FDA Standard	ug/L	
Metolachlor	Not Detected	No FDA Standard	ug/L	
Aldrin	Not Detected	No FDA Standard	ug/L	
Heptachlor Epoxide	Not Detected	0.2	ug/L	Pass
Butachlor	Not Detected	No FDA Standard	ug/L	
p,p'-DDE (4,4'-DDE)	Not Detected	No FDA Standard	ug/L	
Dieldrin	Not Detected	No FDA Standard	ug/L	
Endrin	Not Detected	2	ug/L	Pass
Butylbenzylphthalate	Not Detected	No FDA Standard	ug/L	
bis(2-Ethylhexyl)adipate	Not Detected	400	ug/L	Pass
Methoxychlor	Not Detected	40	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	Not Detected	6	ug/L	Pass
Benzo(a)Pyrene	Not Detected	0.2	ug/L	Pass
Volatiles: EDB and DBCP (Ref: EPA 504.1)				
Ethylene Dibromide (EDB)	Not Detected	0.05	ug/L	Pass
1,2-Dibromo-3-Chloropropane (DBCP)	Not Detected	0.2	ug/L	Pass
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)				
Dichlorodifluoromethane	Not Detected	No FDA Standard	ug/L	
Chloromethane	Not Detected	No FDA Standard	ug/L	
Vinyl Chloride	Not Detected	2	ug/L	Pass
Bromomethane	Not Detected	No FDA Standard	ug/L	
Chloroethane	Not Detected	No FDA Standard	ug/L	

**KEY**

RESULT = Our Testing Result

FDA SOQ = FDA Standard of Quality

UNITS = Unit of Measurement

P/F = Pass or Fail

# WATER QUALITY REPORT

STILL | MACKAY, IDAHO



**TABLE 2: PROUD SOURCE WATER PRODUCT ANALYSIS (CONT.)**

STILL | MACKAY, ID

TESTING PARAMETER	RESULT	FDA SOQ	UNITS	P/F
<b>ORGANIC CHEMICALS</b>				
Trichlorofluoromethane	Not Detected	No FDA Standard	ug/L	
Trichlorotrifluoroethane	Not Detected	No FDA Standard	ug/L	
Methylene Chloride	Not Detected	5	ug/L	Pass
1,1-Dichloroethylene	Not Detected	7	ug/L	Pass
trans-1,2-Dichloroethylene	Not Detected	100	ug/L	Pass
1,1-Dichloroethane	Not Detected	No FDA Standard	ug/L	
2,2-Dichloropropane	Not Detected	No FDA Standard	ug/L	
cis-1,2-Dichloroethylene	Not Detected	70	ug/L	Pass
Chloroform	Not Detected	No FDA Standard	ug/L	
Bromochloromethane	Not Detected	No FDA Standard	ug/L	
1,1,1-Trichloroethane	Not Detected	200	ug/L	Pass
1,1-Dichloropropene	Not Detected	No FDA Standard	ug/L	
Carbon Tetrachloride	Not Detected	5	ug/L	Pass
1,2-Dichloroethane	Not Detected	5	ug/L	Pass
Trichloroethylene	Not Detected	5	ug/L	Pass
1,2-Dichloropropane	Not Detected	5	ug/L	Pass
Bromodichloromethane	Not Detected	No FDA Standard	ug/L	
Dibromomethane	Not Detected	No FDA Standard	ug/L	
cis-1,3-Dichloropropene	Not Detected	No FDA Standard	ug/L	
trans-1,3-Dichloropropene	Not Detected	No FDA Standard	ug/L	
1,1,2-Trichloroethane	Not Detected	5	ug/L	Pass
1,3-Dichloropropane	Not Detected	No FDA Standard	ug/L	
Tetrachloroethylene	Not Detected	5	ug/L	Pass
Chlorodibromomethane	Not Detected	No FDA Standard	ug/L	
Chlorobenzene	Not Detected	100	ug/L	Pass
1,1,1,2-Tetrachloroethane	Not Detected	No FDA Standard	ug/L	
Bromoform	Not Detected	No FDA Standard	ug/L	
1,1,2,2-Tetrachloroethane	Not Detected	No FDA Standard	ug/L	
1,2,3-Trichloropropane	Not Detected	No FDA Standard	ug/L	
1,3-Dichlorobenzene	Not Detected	No FDA Standard	ug/L	
1,4-Dichlorobenzene	Not Detected	75	ug/L	Pass
1,2-Dichlorobenzene	Not Detected	600	ug/L	Pass
Methyl-tert-Butyl Ether (MTBE)	Not Detected	No FDA Standard	ug/L	

**KEY**

RESULT = Our Testing Result

FDA SOQ = FDA Standard of Quality

UNITS = Unit of Measurement

P/F = Pass or Fail

# WATER QUALITY REPORT

STILL | MACKAY, IDAHO



**TABLE 2: PROUD SOURCE WATER PRODUCT ANALYSIS (CONT.)**

STILL | MACKAY, ID

TESTING PARAMETER	RESULT	FDA SOQ	UNITS	P/F
<b>ORGANIC CHEMICALS</b>				
Methyl Ethyl Ketone	Not Detected	No FDA Standard	ug/L	
Toluene	Not Detected	1000	ug/L	Pass
Ethyl Benzene	Not Detected	700	ug/L	Pass
m+p-Xylenes	Not Detected	No FDA Standard	ug/L	
o-Xylene	Not Detected	No FDA Standard	ug/L	
Styrene	Not Detected	100	ug/L	Pass
Isopropylbenzene (Cumene)	Not Detected	No FDA Standard	ug/L	
n-Propylbenzene	Not Detected	No FDA Standard	ug/L	
Bromobenzene	Not Detected	No FDA Standard	ug/L	
2-Chlorotoluene	Not Detected	No FDA Standard	ug/L	
4-Chlorotoluene	Not Detected	No FDA Standard	ug/L	
1,3,5-Trimethylbenzene	Not Detected	No FDA Standard	ug/L	
tert-Butylbenzene	Not Detected	No FDA Standard	ug/L	
1,2,4-Trimethylbenzene	Not Detected	No FDA Standard	ug/L	
sec-Butylbenzene	Not Detected	No FDA Standard	ug/L	
p-Isopropyltoluene (Cymene)	Not Detected	No FDA Standard	ug/L	
1,2,3-Trimethylbenzene	Not Detected	No FDA Standard	ug/L	
n-Butylbenzene	Not Detected	No FDA Standard	ug/L	
1,2,4-Trichlorobenzene	Not Detected	70	ug/L	Pass
Hexachlorobutadiene	Not Detected	No FDA Standard	ug/L	
1,2,3-Trichlorobenzene	Not Detected	No FDA Standard	ug/L	
Naphthalene	Not Detected	No FDA Standard	ug/L	
Benzene	Not Detected	5	ug/L	Pass
Total Trihalomethanes	Not Detected	80	ug/L	Pass
Total Xylenes	Not Detected	10000	ug/L	Pass
Chlorinated Pesticides and Organohalides by EPA 508.1				
Toxaphene	Not Detected	3	ug/L	Pass
Chlordane	Not Detected	2	ug/L	Pass
PCB 1016	Not Detected	0.5	ug/L	Pass
PCB 1221	Not Detected	0.5	ug/L	Pass
PCB 1232	Not Detected	0.5	ug/L	Pass
PCB 1242	Not Detected	0.5	ug/L	Pass
PCB 1248	Not Detected	0.5	ug/L	Pass

**KEY**

RESULT = Our Testing Result

FDA SOQ = FDA Standard of Quality

UNITS = Unit of Measurement

P/F = Pass or Fail

# WATER QUALITY REPORT

STILL | MACKAY, IDAHO



**TABLE 2: PROUD SOURCE WATER PRODUCT ANALYSIS (CONT.)**

STILL | MACKAY, ID

TESTING PARAMETER	RESULT	FDA SOQ	UNITS	P/F
<b>ORGANIC CHEMICALS</b>				
PCB 1254	Not Detected	0.5	ug/L	Pass
PCB 1260	Not Detected	0.5	ug/L	Pass
Endrin	Not Detected	2	ug/L	Pass
Total PCBs	Not Detected	0.5	ug/L	Pass
<b>MISCELLANEOUS</b>				
Dalapon	Not Detected	200	ug/L	Pass
Dicamba	Not Detected	No FDA Standard	ug/L	
2,4-D	Not Detected	70	ug/L	Pass
Pentachlorophenol	Not Detected	1	ug/L	Pass
2,4,5-TP	Not Detected	50	ug/L	Pass
Dinoseb	Not Detected	7	ug/L	Pass
Picloram	Not Detected	500	ug/L	Pass
Bentazon	Not Detected	No FDA Standard	ug/L	
DCPA Acid Metabolites	Not Detected	No FDA Standard	ug/L	
NEtFOSAA	Not Detected	No FDA Standard	ug/L	
NMeFOSAA	Not Detected	No FDA Standard	ug/L	
Perfluorobutanesulfonic acid	Not Detected	No FDA Standard	ug/L	
Perfluorodecanoic acid	Not Detected	No FDA Standard	ug/L	
Perfluorododecanoic acid	Not Detected	No FDA Standard	ug/L	
Perfluoroheptanoic acid	Not Detected	No FDA Standard	ug/L	
Perfluorohexanesulfonic acid	Not Detected	No FDA Standard	ug/L	
Perfluorohexanoic acid	Not Detected	No FDA Standard	ug/L	
Perfluorononanoic acid	Not Detected	No FDA Standard	ug/L	
Perfluorooctanesulfonic acid	Not Detected	No FDA Standard	ug/L	
Perfluorooctanoic acid	Not Detected	No FDA Standard	ug/L	
Perfluorotetradecanoic acid	Not Detected	No FDA Standard	ug/L	
Perfluorotridecanoic acid	Not Detected	No FDA Standard	ug/L	
Perfluoroundecanoic acid	Not Detected	No FDA Standard	ug/L	
HFPO-DA/GenX	Not Detected	No FDA Standard	ug/L	
ADONA	Not Detected	No FDA Standard	ug/L	
9Cl-PF3ONS/F-53B Major	Not Detected	No FDA Standard	ug/L	
11Cl-PF3OUds/F-53B Minor	Not Detected	No FDA Standard	ug/L	

**KEY**

RESULT = Our Testing Result

FDA SOQ = FDA Standard of Quality

UNITS = Unit of Measurement

P/F = Pass or Fail

# WATER QUALITY REPORT

STILL | MACKAY, IDAHO



## ADDITIONAL INFORMATION

California law requires a reference to FDA's website for recalls: <http://www.fda.gov/Safety/Recalls/default.htm>

Our product has been thoroughly tested in accordance with federal and California law. Our bottled water is a food product and can not be sold unless it meets the standards established by the U.S. Food and Drug Administration and the California Department of Public Health.

The following statements are required under California law:

"Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366)."

"Some persons may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including, but not limited to, persons with cancer who are undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791)."

"The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity. Substances that may be present in the source water include any of the following:

1. Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.
2. Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban storm water runoff, and residential uses.
3. Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.
4. Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.
5. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities."

## TERMINOLOGY

**Statement of Quality (SOQ)** - The standard (statement) of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled water, as established by the United States Food and Drug Administration (FDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health.

**Maximum Contaminant Level (MCL)** - The highest level of a contaminant that is allowed in drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health. Primary MCLs are set as close to the PHGs as is economically and technologically feasible.

**Public Health Goal (PHG)** - The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

**Primary Drinking Water Standard** - MCLs for contaminants established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health that affect health along with their monitoring and reporting requirements.