



# BOTTLED WATER QUALITY REPORT

**Open Water**  
**3700 S Iron Street**  
**Chicago, IL 60609**  
305-771-1357

At Open Water, we are proud of the quality of our products. Our water source and production facilities meet all bottled water standards for quality and safety at the U.S. Federal and State levels. Our on-site team and independent certified laboratories perform extensive tests on the water source and finished bottled water product to ensure we exceed or are compliant with all bottled water requirements.

## HIGHLIGHTS

<b>pH</b>	7.1
<b>Total Dissolved Solids (TDS)</b>	56

A Result of "ND" indicates that the compound was not detected above the Lab's Reporting Limit (MRL)  
SOQ - Standard of Quality, maximum permissible level of a contaminant in water established by CBWA, IBWA or US FDA.  
MRL - Method Reporting Limit

MINERAL OR COMPOUND	RESULT	SQL	MRL	UNITS
ANTIMONY	ND	0.006	0.001	mg/L
ARSENIC	ND	0.01	0.001	mg/L
BARIIUM	ND	1	0.001	mg/L
BERYLLIUM	ND	0.004	0.001	mg/L
CADMIUM	ND	0.005	0.001	mg/L
CHROMIUM	ND	0.05	0.001	mg/L
CYANIDE	ND	0.2	0.01	mg/L
FLUORIDE	ND	2	0.1	mg/L
LEAD	ND	0.005	0.001	mg/L
MERCURY	ND	0.001	0.0002	mg/L
NICKEL	ND	0.1	0.001	mg/L
NITRATE-N	ND	10	0.1	mg/L
NITRITE-N	ND	1	0.1	mg/L
TOTAL NITRATE/NITRITE	ND	10	0.1	mg/L
SELENIUM	ND	0.01	0.005	mg/L
THALLIUM	ND	0.002	0.001	mg/L
ALUMINUM	ND	0.2	0.01	mg/L
BICARBONATE	36	No FDA Standard	2	mg/L
BORON	ND	No FDA Standard	0.05	mg/L
BROMIDE	ND	No FDA Standard	0.005	mg/L
CALCIUM	5.3	No FDA Standard	1	mg/L
CARBONATE	ND	No FDA Standard	2	mg/L
CHLORIDE	14	250	0.1	mg/L
COPPER	ND	1	0.005	mg/L

MINERAL OR COMPOUND	RESULT	SQL	MRL	UNITS
IRON	ND	0.3	0.05	mg/L
MAGNESIUM	1.4	No FDA Standard	0.1	mg/L
MANGANESE	ND	0.05	0.001	mg/L
POTASSIUM	20	No FDA Standard	0.1	mg/L
SILVER	ND	0.025	0.001	mg/L
SODIUM	ND	No FDA Standard	1	mg/L
SULFATE	ND	250	10	mg/L
TOTAL DISSOLVED SOLIDS (TDS)	56	500	10	mg/L
ZINC	ND	5	0.005	mg/L
1,1 - DICHLOROETHYLENE	ND	2	0.4	ug/L
1,1,1 - TRICHLOROETHANE	ND	30	0.4	ug/L
1,1,2 - TRICHLOROETHANE	ND	5	0.4	ug/L
1,2 - DICHLOROETHANE	ND	2	0.4	ug/L
1,2 - DICHLOROPROPANE	ND	5	0.4	ug/L
1,2,4 - TRICHLOROBENZENE	ND	9	0.4	ug/L
BENZENE	ND	1	0.4	ug/L
CARBON TETRACHLORIDE	ND	2	0.4	ug/L
CIS - 1,2 - DICHLOROETHYLENE	ND	70	0.4	ug/L
TRANS - 1,2 - DICHLOROETHYLENE	ND	100	0.4	ug/L
ETHYLBENZENE	ND	700	0.4	ug/L
DICHLOROMETHANE	ND	3	0.4	ug/L
MONOCHLOROBENZENE	ND	50	0.4	ug/L
O - DICHLOROBENZENE	ND	600	0.4	ug/L
P - DICHLOROBENZENE	ND	75	0.4	ug/L
STYRENE	ND	100	0.4	ug/L
TETRACHLOROETHYLENE	ND	1	0.4	ug/L
TOLUENE	ND	1000	0.4	ug/L
TRICHLOROETHYLENE	ND	1	0.4	ug/L
VINYL CHLORIDE	ND	2	0.4	ug/L
XYLENES (TOTAL)	ND	1000	0.4	ug/L
2,4 - D	ND	70	0.1	ug/L
2,4,5 - TP (SILVEX)	ND	10	0.2	ug/L
3-HYDROXYCARBOFURAN	ND	No FDA Standard	1	ug/L
ALACHLOR	ND	2	0.2	ug/L
ALDICARB	ND	No FDA Standard	1	ug/L
ALDICARB SULFONE	ND	No FDA Standard	1.6	ug/L
ALDICARB SULFOXIDE	ND	No FDA Standard	1	ug/L
ALDRIN	ND	No FDA Standard	0.1	ug/L
ATRAZINE	ND	3	0.1	ug/L
BENZO(A)PYRENE	ND	0.2	0.02	ug/L
BUTACHLOR	ND	No FDA Standard	0.1	ug/L
CARBARYL	ND	No FDA Standard	1	ug/L
CARBOFURAN	ND	40	0.9	ug/L
CHLORDANE	ND	0.5	0.2	ug/L
DALAPON	ND	200	1	ug/L
DI(ETHYLHEXYL)-PHTHALATE	ND	6	0.6	ug/L
DI(ETHYLHEXYL)-ADIPATE	ND	400	0.6	ug/L
1,2-DIBROMO-3-CHLOROPROPANE	ND	0.2	0.02	ug/L
DICAMBA	ND	No FDA Standard	0.2	ug/L
DIELDRIN	ND	No FDA Standard	0.1	ug/L
DINOSEB	ND	7	0.2	ug/L
DIOXIN (2,3,7,8-TETRACHLORODIBENZO-NPD-	ND	30	5	pg/L
DIQUAT	ND	20	0.4	ug/L
ENDOTHALL	ND	100	9	ug/L
1,2 - DIBROMOETHANE (EDB)	ND	0.05	0.01	ug/L
GLYPHOSATE	ND	700	6	ug/L
HEPTACHLOR	ND	0.4	0.04	ug/L
HEPTACHLOR EPOXIDE B	ND	0.2	0.02	ug/L
HEXACHLOROBENZENE	ND	1	0.1	ug/L

MINERAL OR COMPOUND	RESULT	SQL	MRL	UNITS
HEXACHLOROCYCLO-PENTADIENE	ND	50	0.1	ug/L
LINDANE (BHC - GAMMA)	ND	0.2	0.02	ug/L
METHOMYL	ND	1	ug/L	531.2
METHOXYCHLOR	ND	40	0.1	ug/L
METOLACHLOR	ND	0.1	ug/L	525.2
METRIBUZIN	ND	0.1	ug/L	525.2
OXAMYL (VYDATE)	ND	200	2	ug/L
PENTACHLOROPHENOL	ND	1	0.04	ug/L
PICLORAM	ND	500	0.1	ug/L
POLYCHLORINATED BIPHENYLS (PCBs)	ND	0.5	0.5	ug/L
PROPACHLOR	ND	0.1	ug/L	525.2
SIMAZINE	ND	4	0.07	ug/L
TOXAPHENE	ND	3	1	ug/L
TOTAL PHENOLIC COMPOUNDS	ND	1	1	ug/L
N-ETHYL PERFLUOROOCCTANESULFONANMID OACETIC ACID	ND	No FDA Standard		ug/L
N-METHYL PERFLUOROOCCTANESULFONNADMID OACETIC ACID	ND	No FDA Standard		ug/L
PERFLUOROBUTANESULFONIC ACID (PFNBDS)	ND	No FDA Standard	0.09	ug/L
PERFLUORODECANOIC AICD (PFDA)	ND	No FDA Standard		ug/L
PERFLUORODODECANOIC AICD (PFDOA)ND	ND	No FDA Standard		ug/L
PERFLUOROHEPTANOIC ACID (PFHPA)	ND	No FDA Standard	0.01	ug/L
PERFLUOROHEXANESULFONIC ACID (PFNHDXS)	ND	No FDA Standard	0.03	ug/L
PERFLUOROHEXANOIC ACID (PFHxA)	ND	No FDA Standard		ug/L
PERFLUORONONANOIC ACID (PFNA)	ND	No FDA Standard	0.02	ug/L
PERFLUOROOCCTANESULFONIC ACID (PFNODS)	ND	No FDA Standard	0.04	ug/L
PERFLUOROOCCTANOIC ACID (PFOA)	ND	No FDA Standard	0.02	ug/L
PERFLUOROTETRADECANOIC AICD (PFTNAD)	ND	No FDA Standard		ug/L
PERFLUOROTRIDECANOIC AICD (PFTrDAN)D	ND	No FDA Standard		ug/L
PERFLUOROUNDECANOIC AICD (PFUnA)ND	ND	No FDA Standard		ug/L
ASBESTOS	ND	7	0.098	MFL>10um
HYDROGEN ION (pH)	7.1	No FDA Standard		pH Units
TASTE	ND	No FDA Standard	1	
MBAS (Surfactants)	ND	No FDA Standard		mg/L
COLOR	ND	15	5	COLOR
ODOR	ND	3	1	TON
TURBIDITY	0.75	1	0.1	NTU
BROMATE	ND	0.01	0.001	mg/L
CHLORINE DIOXIDE	ND	No FDA Standard	0.1	mg/L
CHLORITE	ND	1	0.01	mg/L
CHLORAMINES TOTAL	ND	4	0.05	mg/L
FREE CHLORINE RESIDUAL	ND	0.1	0.05	mg/L
HAA(5)	ND	60	2	ug/L
DICHLOROACETIC ACID	ND	No FDA Standard	1	ug/L
TRICHLOROACETIC ACID	ND	No FDA Standard	1	ug/L
DIBROMOACETIC ACID	ND	No FDA Standard	1	ug/L
MONOCHLOROACETIC ACID	ND	No FDA Standard	2	ug/L
MONOBROMOACETIC ACID	ND	No FDA Standard	1	ug/L
TOTAL TRIHALOMETHANE	0.6	10	0.4	ug/L
BROMODICHLOROMETHANE	ND	No FDA Standard	0.4	ug/L
CHLORODIBROMOMETHANE	ND	No FDA Standard	0.4	ug/L

MINERAL OR COMPOUND	RESULT	SQL	MRL	UNITS
CHLOROFORM	0.00079	No FDA Standard	0.0005	ug/L
BROMOFORM	ND	No FDA Standard	0.4	ug/L
GROSS ALPHA	ND	15	0	pCi/L
GROSS BETA	16	50	0	pCi/L
RADIUM 226	ND	No FDA Standard		pCi/L
RADIUM 228	ND	5	5	pCi/L
URANIUM	ND	0.03	0.001	mg/L
RADON	ND	No FDA Standard		pCi/L
1,3-DICHLOROPROPYLENE, TOTAL	ND	No FDA Standard	0.5	ug/L
1,1 - DICHLOROETHANE	ND	No FDA Standard	0.5	ug/L
1,1 - DICHLOROPROPENE	ND	No FDA Standard	0.5	ug/L
1,1,1,2 - TETRACHLOROETHANE	ND	No FDA Standard	0.5	ug/L
1,1,2,2 - TETRACHLOROETHANE	ND	No FDA Standard	0.5	ug/L
1,2,3 - TRICHLOROBENZENE	ND	No FDA Standard	0.5	ug/L
1,2,3 - TRICHLOROPROPANE	ND	No FDA Standard	0.5	ug/L
1,2,4 - TRIMETHYLBENZENE	ND	No FDA Standard	0.5	ug/L
1,3 - DICHLOROPROPANE	ND	No FDA Standard	0.5	ug/L
1,3,5 - TRIMETHYLBENZENE	ND	No FDA Standard	0.5	ug/L
2,2 - DICHLOROPROPANE	ND	No FDA Standard	0.5	ug/L
BROMOBENZENE	ND	No FDA Standard	0.5	ug/L
BROMOCHLOROMETHANE	ND	No FDA Standard	0.5	ug/L
BROMOMETHANE	ND	No FDA Standard	0.5	ug/L
CHLOROETHANE	ND	No FDA Standard	0.5	ug/L
CHLOROMETHANE	ND	No FDA Standard	0.5	ug/L
CIS - 1,3 - DICHLOROPROPENE	ND	No FDA Standard	0.5	ug/L
DIBROMOMETHANE	ND	No FDA Standard	0.5	ug/L
DICHLORODIFLUOROMETHANE	ND	No FDA Standard	0.5	ug/L
HEXACHLOROBUTADIENE	ND	No FDA Standard	0.5	ug/L
ISOPROPYLBENZENE	ND	No FDA Standard	0.5	ug/L
M - DICHLOROBENZENE	ND	No FDA Standard	0.5	ug/L
M/P - XYLENE	ND	No FDA Standard	0.5	ug/L
METHYL TERT-BUTYL ETHER	ND	No FDA Standard	0.5	ug/L
N - BUTYLBENZENE	ND	No FDA Standard	0.5	ug/L
N - PROPYLBENZENE	ND	No FDA Standard	0.5	ug/L
NAPHTHALENE	ND	14	0.5	ug/L
O - CHLOROTOLUENE	ND	No FDA Standard	0.5	ug/L
P - CHLOROTOLUENE	ND	No FDA Standard	0.5	ug/L
O - XYLENE	ND	No FDA Standard	0.5	ug/L
P - ISOPROPYLTOLUENE	ND	No FDA Standard	0.5	ug/L
SEC - BUTYLBENZENE	ND	No FDA Standard	0.5	ug/L
TERT - BUTYLBENZENE	ND	No FDA Standard	0.5	ug/L
TRANS- 1,3 - DICHLOROPROPENE	ND	No FDA Standard	0.5	ug/L
TRICHLOROFUOROMETHANE	ND	No FDA Standard	0.5	ug/L
ALKALINITY	29	No FDA Standard	1	mg CaCO3
CORROSIVITY	-2	No FDA Standard		SI
PERCHLORATE	ND	0.002	0.001	mg/L

**California law requires a reference to FDA's website for recalls: <http://www.fda.gov/opacom/7alerts.html>**

Our product has been thoroughly tested in accordance with federal and California law. Our bottled water is a food product and cannot be sold unless it meets the standards established by the U.S. Food and Drug Administration and the California Department of Public Health. The following statements are required under California law:

“Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline 1-888-723-3366.”

“Some persons may be more vulnerable to contaminants in drinking water than the general populations. Immuno-compromised persons, including but not limited to persons with cancer who are undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their healthcare providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).”

“The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity.

Substances that may be present in the source water include any of the following:

1. Inorganic substances, including but not limited to, salts and metals that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.
2. Pesticides and herbicides that may come from a variety of sources, including but not limited to, agriculture, urban stormwater runoff, and residential uses.
3. Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
4. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities.”

“In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by bottled water companies.”

## **TERMINOLOGY**

Statement of Quality (SOQ) – The standard (statement) of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled water, as established by the United States Food and Drug Administration (FDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health.

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health. Primary MCLs are set as close to the PHGs as is economically and technologically feasible.

Public Health Goal (PHG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Primary Drinking Water Standard - MCLs for contaminants established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health that affect health along with their monitoring and reporting requirements, and water treatment requirements.